

  
**YUVEZZI™**  
(carbachol and brimonidine tartrate  
ophthalmic solution) 2.75%/0.1%

For adults  
with presbyopia

**Struggling to read close up?  
YUVEZZI eye drops may help**

**TAKE A REST  
READERS**



**Select Important Safety Information**

Do not use YUVEZZI if you are allergic to any of its ingredients or if you currently have inflammation of the iris (iritis).

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](http://YUVEZZI.com).

## See ya later, squint!

### Say hello to the fuss-less eye drop for blurry close-up vision!

YUVEZZI is a prescription eye drop for adults with blurry close-up vision due to age (presbyopia).

#### In this brochure, you will learn:

- About presbyopia.....page 3
- How YUVEZZI works.....pages 4-5
- YUVEZZI results.....pages 6-7
- Common side effects.....page 8
- Important Safety Information...page 9
- How to use YUVEZZI.....pages 10-11
- Questions to discuss  
with your eye doctor.....pages 12-13

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](http://YUVEZZI.com).

## As our eyes age, close-up vision can become blurry, a condition called presbyopia

Simple things like reading, texting, or checking a label may become harder without holding objects farther away or relying on reading glasses.

It's not just you.



About **9 in 10** adults over age 45 in the US have presbyopia, per the American Optometric Association.




**Instead of surgery, such as lens implants, eye drops for presbyopia are a less invasive step you can take.**


## YUVEZZI is an eye drop for blurry close-up vision

YUVEZZI combines two proven medicines that work together to improve close-up vision:

**1** **Carbachol** helps your pupils get smaller (or “**constrict**”), so it’s easier to focus up close



**2** **Brimonidine** helps keep your pupils from getting too large (or “**dilating**”)



### Select Important Safety Information

YUVEZZI may cause temporary blurry, dim, or dark vision. If you experience this, avoid driving, using machinery, and participating in hazardous activities. Use caution when night driving and in other activities in low light.

**Both active ingredients have been trusted to treat other common eye conditions for nearly 30 years.**

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](http://YUVEZZI.com).

## Get up to 8 hours of sharp, close-up vision, thanks to YUVEZZI\*



### In medical studies:

As soon as 30 minutes after taking YUVEZZI, some could **clearly read at least 3 more lines** on an eye chart in low light without losing distance vision.†

Individual results may vary.



### YUVEZZI worked just as well over time

After 6 months of use, YUVEZZI consistently improved blurry close-up vision **like it did at the start.**

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](http://YUVEZZI.com).



### YUVEZZI can also help improve reading speed

Presbyopia can make you squint or strain your eyes to see close up. This may slow down how fast you're able to read. But people using YUVEZZI in medical studies had **6× greater improvement in reading** vs those who did not receive YUVEZZI.‡

### Select Important Safety Information

Before taking YUVEZZI, tell your doctor if you have depression, low blood pressure, or circulation problems.

\*About half of people in medical studies could read close up at hour 8.

† Compared to before using YUVEZZI.

‡ Measured at Day 90.



## **YUVEZZI was studied in the world's largest and longest presbyopia safety study**

The most common side effects in the study were:

- Headache (16% of patients)
- Eye irritation upon use (14% of patients)
- Eye pain upon use (7% of patients)
- Impaired vision (6% of patients)

Most side effects were generally mild, didn't last long, and went away on their own.

- Headache rates were generally low (fewer than 2 out of 10 patients) and mostly stopped after the first week of use
- Nearly 9 out of 10 people were able to keep using YUVEZZI without stopping because of side effects for the full year of the study

**People taking YUVEZZI had no treatment-related serious side effects in a 1-year safety study.**

## **Important Safety Information**

Do not use YUVEZZI if you are allergic to any of its ingredients or if you currently have inflammation of the iris (iritis).

Before taking YUVEZZI, tell your doctor if you have depression, low blood pressure, or circulation problems.

YUVEZZI may cause temporary blurry, dim, or dark vision. If you experience this, avoid driving, using machinery, and participating in hazardous activities. Use caution when night driving and in other activities in low light.

Call your doctor right away if you suddenly have flashes of light, floaters, or vision loss.

Do not let the tip of the vial touch your eye, eyelid, or any other surface.

The most common side effects of YUVEZZI are headache, impaired vision, and eye pain and/or eye irritation upon use. These are not all of the possible side effects of YUVEZZI.

Most side effects were generally mild, didn't last long, and went away on their own.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

Please see the [Brief Summary on YUVEZZI.com](#).

## YUVEZZI is a fuss-less eye drop that can be used your way:



On its own instead of reading glasses

**OR**



With contacts or glasses you use to see far away

### Directions for use with contacts

- Remove your contacts before using YUVEZZI
- Wait 10 minutes before putting them back in your eyes

### Directions for use with other eye drops

- Allow 5 minutes between them
- Talk to your eye doctor about which drop you should use first

### Select Important Safety Information

The most common side effects of YUVEZZI are headache, impaired vision, and eye pain and/or eye irritation upon use.

## YUVEZZI is as easy as one and done—just one drop per eye, once a day

- ① Twist off the top of the plastic vial
- ② Squeeze the vial to release 1 drop in each eye
- ③ Throw away the vial (even if it is not empty)

**Do not let the tip of the vial touch your eye, eyelid, or any other surface.**

To protect from light, store any unused vials in their original foil pouch until ready for use.

### Convenient single-use vials

- Travel-ready at all times with no refrigeration required
- Get a complete month in one box, so no mid-month refills needed




Ready to get started?  
See how at  
[YUVEZZIready.com](https://www.yuvezzi.com/ready) or  
scan the QR code

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](https://www.yuvezzi.com).



  
**YUVEZZI™**  
(carbachol and brimonidine tartrate  
ophthalmic solution) 2.75%/0.1%



 Sign up for updates and offers at [JoinYUVEZZI.com](https://JoinYUVEZZI.com) or scan the QR code

### Select Important Safety Information

Call your doctor right away if you suddenly have flashes of light, floaters, or vision loss.

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](https://YUVEZZI.com).

**tenpoint**  
THERAPEUTICS

© 2026 Tenpoint Therapeutics, Ltd. ALL RIGHTS RESERVED  
YUVEZZI is a trademark of Visus Therapeutics, Inc.  
TENPOINT is a trademark of Tenpoint Therapeutics Holding Limited.  
Visus Therapeutics, Inc., an affiliate of Tenpoint Therapeutics, Ltd.,  
Seattle, Washington, 98109, USA.  
MAT-US-YZ-0141 03/26