



YUVEZZI™
(carbachol and brimonidine tartrate
ophthalmic solution) 2.75%/0.1%

For adults
with presbyopia

Take a break from your readers with YUVEZZI eye drops



Select Important Safety Information

Do not use YUVEZZI if you are allergic to any of its ingredients or if you currently have inflammation of the iris (iritis).

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](https://www.yuvezzi.com).



Actor portrayal

See ya later, squint!

Fuss less with YUVEZZI eye drops for blurry close-up vision

YUVEZZI is a prescription eye drop for adults with blurry close-up vision due to age (presbyopia).

In this brochure, you will learn:

- About presbyopia.....page 3
- How YUVEZZI works.....pages 4-5
- YUVEZZI results.....pages 6-7
- Common side effects.....page 8
- Important Safety Information...page 9
- How to use YUVEZZI.....pages 10-11
- Questions to discuss
with your eye doctor.....pages 12-13
- How to get started (video)last page

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on YUVEZZI.com.

As our eyes age, close-up vision can become blurry, a condition called presbyopia

Simple things like reading, texting, or checking a label may become harder without holding objects farther away or relying on reading glasses.

It's not just you.




About **9 in 10** adults over age 45 in the US have presbyopia, per the American Optometric Association.




Instead of surgery, such as lens implants, eye drops for presbyopia are a less invasive step you can take.

**YUVEZZI combines two
proven medicines that
work together to improve
close-up vision:**

- 1** **Carbachol** helps your pupils
get smaller (or “**constrict**”), so
it’s easier to focus up close



- 2** **Brimonidine** helps keep your
pupils from getting too large
(or “**dilating**”)



Select Important Safety Information

YUVEZZI may cause temporary blurry, dim, or dark vision. If you experience this, avoid driving, using machinery, and participating in hazardous activities. Use caution when night driving and in other activities in low light.

**Both active ingredients have
been trusted to treat other
common eye conditions for
nearly 30 years.**

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on [YUVEZZI.com](https://www.yuvezzi.com).

Get up to 8 hours of sharp, close-up vision, thanks to YUVEZZI*

In medical studies:

As soon as 30 minutes after taking YUVEZZI, some could **clearly read at least 3 more lines** on an eye chart in low light without losing distance vision.[†]

Individual results may vary.

YUVEZZI worked just as well over time

After 1 year of use, YUVEZZI consistently improved blurry close-up vision **like it did at the start**.

Select Important Safety Information

Before taking YUVEZZI, tell your doctor if you have depression, low blood pressure, or circulation problems.

*About half of people in medical studies could read close up at hour 8.

[†] Compared to before using YUVEZZI.

[‡] Measured at Day 90.

YUVEZZI can also help improve reading speed

Presbyopia can make you squint or strain your eyes to see close up. This may slow down how fast you're able to read. But people using YUVEZZI in medical studies had **6× greater improvement in reading** vs those who did not receive YUVEZZI.[‡]



*Results you
can see, thanks
to YUVEZZI!*



See real patient
experiences at
YUVEZZIstories.com or
scan the QR code

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on YUVEZZI.com.

YUVEZZI was studied in the world's largest and longest safety study for presbyopia eye drops

The most common side effects in the study were headache (16% of patients), eye irritation upon use (14% of patients), eye pain upon use (7% of patients), and impaired vision (6% of patients).

Most side effects were generally mild, didn't last long, and went away on their own.

- Headache rates were generally low (fewer than 2 out of 10 patients) and decreased with continued use
- Nearly 9 out of 10 people were able to keep using YUVEZZI without stopping because of side effects for the full year of the study
- Eye redness was **not** a common side effect in medical studies of YUVEZZI. Fewer than 3 out of 100 people taking YUVEZZI reported eye redness as a side effect

People taking YUVEZZI had no treatment-related serious side effects in a 1-year safety study.

Important Safety Information

Do not use YUVEZZI if you are allergic to any of its ingredients or if you currently have inflammation of the iris (iritis).

Before taking YUVEZZI, tell your doctor if you have depression, low blood pressure, or circulation problems.

YUVEZZI may cause temporary blurry, dim, or dark vision. If you experience this, avoid driving, using machinery, and participating in hazardous activities. Use caution when night driving and in other activities in low light.

Call your doctor right away if you suddenly have flashes of light, floaters, or vision loss.

Do not let the tip of the vial touch your eye, eyelid, or any other surface.

The most common side effects of YUVEZZI are headache, impaired vision, and eye pain and/or eye irritation upon use. These are not all of the possible side effects of YUVEZZI.

Most side effects were generally mild, didn't last long, and went away on their own.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see the [Brief Summary on YUVEZZI.com](#).

Use YUVEZZI your way:



On its own instead of
reading glasses

OR



With contacts or glasses
you use to see far away

Directions for use with contacts

- Remove your contacts before using YUVEZZI
- Wait 10 minutes before putting them back in your eyes

Directions for use with other eye drops

- Allow 5 minutes between them
- Talk to your eye doctor about which drop you should use first



Ready to get started?
See how at
YUVEZZIready.com or
scan the QR code

Select Important Safety Information

The most common side effects of YUVEZZI are headache, impaired vision, and eye pain and/or eye irritation upon use.



Actor portrayal

YUVEZZI is as easy as one and done—just one drop per eye, once a day

- 1** Twist off the top of the plastic vial
- 2** Squeeze the vial to release 1 drop in each eye
- 3** Throw away the vial (even if it is not empty)


Do not let the tip of the vial touch your eye, eyelid, or any other surface.

To protect from light, store any unused vials in their original foil pouch until ready for use.

Convenient single-use vials

- Travel-ready at all times with no refrigeration required
- Get a complete month in one box, so no mid-month refills needed

Please see [Important Safety Information](#) on page 9 and [Brief Summary](#) on YUVEZZI.com.



Actor portrayal



**Sign up for updates and
offers at JoinYUVEZZI.com
or scan the QR code**

Select Important Safety Information

Call your doctor right away if you suddenly
have flashes of light, floaters, or vision loss.

Please see [Important Safety Information](#) on
page 9 and [Brief Summary](#) on YUVEZZI.com.

tenpoint
THERAPEUTICS

© 2026 Tenpoint Therapeutics, Ltd. ALL RIGHTS RESERVED
YUVEZZI is a trademark of Visus Therapeutics, Inc.
TENPOINT is a trademark of Tenpoint Therapeutics Holding Limited.
Visus Therapeutics, Inc., is a affiliate of Tenpoint Therapeutics, Ltd.,
Warren, NJ 07059, USA.
MAT-US-YZ-0141-v2 07/26